

STUDENT IMMUNIZATION INFORMATION LETTER

Dear Parents/Guardians:

Welcome to Parkway School District.

When registering your child, please complete in detail the Health Information Sheet. Should your child become ill or be injured at school, the general health information provided by you will help our staff assess and meet your child's needs.

Please provide documentation of the **month, day and year** your child received each immunization. A copy of the immunization record from his/her physician/clinic or a copy of the immunization record from his/her previous school is acceptable. Until this information is received it is unlawful for your child to attend school in the state of Missouri. **Your child's registration is not completed until you provide this documentation.**

The Missouri Immunization requirements (MO State Rule, 19 C.S.R. 20-28.010) are:

Grades	Immunizations By Grade	
K-4	4+ DTaP/DTP/DT/Td ₁ 3+ polio ₂ 2 MMR (measles, mumps, rubella)	3+ hepatitis B 1 varicella (chickenpox) or proof of disease ₃
5-6	4+ DTaP/DTP/DT/Td ₁ 3+ polio ₂	2 MMR (measles, mumps, rubella) 3+ hepatitis B
7-10	4 DTaP/DTP/DT/Td ₁ , 4 3+ polio ₂	2 measles, 1 mumps, 1 rubella, 3+ hepatitis B ₅
11-12	3+ DTaP/DTP/DT/Td ₄ 3+ polio ₂	2 measles, 1 mumps, 1 rubella, 3+ hepatitis B ₅

1. Last dose on or after fourth (4th) birthday and last dose of pediatric pertussis before seventh (7th) birthday. Maximum needed: six (6) doses.
2. Last dose on or after fourth (4th) birthday. If a combination of IPV/OPV is received, four (4) doses are required. Maximum needed: four (4) doses.
3. A statement signed by parent/guardian or physician indicating the month and year the child had chickenpox disease.
4. The ACIP and the Missouri Department of Health and Senior Services recommend Tdap, which contains pertussis vaccine, at age 11-12 years for those who have completed the recommended childhood DTP/DTaP vaccination series and have not received a Td booster dose. However, pertussis vaccine is not required for adolescents for school attendance at this time. A Td booster is required ten (10) years after the last dose of DTaP, DTP, DT, or Td.
5. Students who are 11-15 years of age may receive two doses adult formulation Merck Recombivax Hepatitis B vaccine on the following schedule:
 - Dose 1, initial visit
 - Dose 2, 4-6 months after Dose 1

**Section for Communicable Disease Prevention
(573) 751-6439(866) 628-9891**